Total number of printed pages-8

3 (Sem-6/CBCS) MAT HC 1

2022

MATHEMATICS

(Honours)

Paper : MAT-HC-6016

(Complex Analysis)

Full Marks: 60

Time : Three hours

The figures in the margin indicate full marks for the questions.

- 1. Answer **any seven** questions from the following: 1×7=7
 - (a) If c is any nth root of unity other than unity itself, then value of $1+c+c^2+\cdots+c^{n-1}$ is
 - (i) $2n\pi$
 - *(ii)* 0
 - (iii) -1

(*iv*) None of the above (Choose the correct answer)

- (b) The square roots of 2i is
- (i) $\pm (1+i)$ (ii) $\pm (1-i)$
 - (iii) $\pm \frac{1}{\sqrt{2}} \left(1 i\sqrt{2}\right)$
 - (iv) None of the above (Choose the correct answer)
 - (c) A composition of continuous function is
 - (i) discontinuous
 - (ii) itself continuous
 - (iii) pointwise continuous
- (iv) None of the above (Choose the correct answer)
 - (d) The value of Log(-ei) is
 - (i) $\frac{\pi}{2} i$ (ii) i
 - (iii) $1-\frac{\pi}{2}i$

(iv) None of the above (Choose the correct answer)

3 (Sem-6/CBCS) MAT HC 1/G 2

- The power expression of $\cos z$ is (i) $\frac{e^{z} + e^{-z}}{2}$ (ii) $\frac{e^{iz} + e^{-iz}}{2}$
- (*iv*) None of the above (Choose the correct answer)
- (f) The Cauchy-Riemann equation for analytic function f(z) = u + iv is

 $e^{iz} + e^{-iz}$

- (i) $u_x = v_y$, $u_y = -v_x$
- (ii) $u_x = -v_y$, $u_y = v_x$
- (iii) $u_{xx} + v_{yy} = 0$

(e)

(iii)

- (iv) None of the above (Choose the correct answer)
- (g) If w(t) = u(t) + iv(t), then $\frac{d}{dt}[w(t)]^2$ is equal to
 - (i) 2[u(t)+iv(t)]
 - (ii) 2w'(t)
 - (iii) 2w(t)w'(t)
 - (iv) None of the above (Choose the correct answer)

3

3 (Sem-6/CBCS) MAT HC 1/G

- (h) What is Laplace's equation?
- (i) What is extended complex plane?
- (j) What is Jordan arc?
- 2. Answer **any four** questions from the following: 2×4=8

(a) Write principal value of $arg\left(\frac{i}{-1-i}\right)$.

- (b) If $f(z) = x^2 + y^2 2y + i(2x 2xy)$, where z = x + iy, then write f(z) in terms of z.
- (c) Use definition to show that $\lim_{z \to z_0} \overline{z} = \overline{z}_0$
- (d) Find the singular point of

$$f(z) = \frac{z^2 + 3}{(z+1)(z^2+5)}.$$

(e) If f'(z) = 0 everywhere in a domain D, then prove that f(z) must be constant throughout D.

4 8

3 (Sem-6/CBCS) MAT HC 1/G

- (f) Evaluate f'(z) from definition, where f(z) = 1/z.
 (g) If f(z) = z/z/z, find lim f(z), if it exists.
 (h) Write the function f(z) = z + 1/z (z ≠ 0) in the form f(z) = u(r, θ) + iv (r, θ).
- 3. Answer **any three** questions from the following : 5×3=15
 - (a) If z_1 and z_2 are complex numbers, then show that $sin(z_1 + z_2) = sin z_1 cos z_2 + cos z_1 sin z_2$.
 - (b) Show that exp. $(2\pm 3\pi i) = -e^2$.
 - (c) Sketch the set $|z-2+i| \le 1$ and determine its domain.
 - (d) Let C be the arc of the circle |z|=2
 from z=2 to z=2i, that lies in the 1st quadrant, then show that

$$\left| \int_C \frac{z-2}{z^2+1} \, dz \right| \le \frac{4\pi}{15}$$

5

3 (Sem-6/CBCS) MAT HC 1/G

- (e) Evaluate $\int_C \frac{dz}{z}$, where C is the top half of the circle |z|=1 from z=1 to z=-1.
- (f) If $f(z) = e^z$, then show that it is an analytic function.
- (g) If $f(z) = \frac{z+2}{z}$ and C is the semi circle $z = 2e^{i\theta}$, $(0 \le \theta \le \pi)$, then evaluate $\int_C f(z) dz$.
- (h) Find all values of z such that $e^z = -2$.
- 4. Answer **any three** questions from the following: 10×3=30
 - (a) State and prove Cauchy-Riemann equations of an analytic function in polar form.
 - (b) Suppose that f(z) = u(x, y) + iv(x, y), (z = x + iy)and $z_0 = x_0 + iy_0, w_0 = u_0 + iv_0$, then prove that if $\lim_{(x, y) \to (x_0, y_0)} u(x, y) = u_0$ and $\lim_{(x, y) \to (x_0, y_0)} v(x, y) = v_0$ then $\lim_{z \to z_0} f(z) = w_0$ and conversely.

6

3 (Sem-6/CBCS) MAT HC 1/G

(c) If the function f(z) = u(x, y) + iv(x, y)is defined by means of the equation

 $f(z) = \begin{cases} \frac{\overline{z}^{e}}{z}, & \text{when } z \neq 0\\ 0, & \text{when } z = 0, \end{cases}$

then prove that its real and imaginary parts satisfies Cauchy-Riemann equations at z=0. Also show that f'(0) fails to exist.

- (d) If the function
 - f(z) = u(x, y) + iv(x, y) and its conjugate $\overline{f}(z) = u(x, y) - iv(x, y)$ are both analytic in a domain *D*, then show that f(z) must be constant throughout *D*.
- (e) If f be analytic everywhere inside and on a simply closed contour C, taken in the positive sense and z₀ is any point interior to C, then prove that

$$f(z_0) = \frac{1}{2\pi i} \int_C \frac{f(z)}{z - z_0} dz \, \cdot$$

(f) State and prove Liouville's theorem.

7 9

3 (Sem-6/CBCS) MAT HC 1/G

(g) Suppose that a function f is analytic throughout a disc $|z - z_0| < R_0$ centred at z_0 and with radius R_0 . Then prove that f(z) has the power series representation

$$f(z) = \sum_{n=0}^{\infty} a_n (z - z_0)^n, \quad (|z - z_0| < R_0)$$

where $a_n = \frac{f^n(z_0)}{|n|}$, (n = 0, 1, 2,)

(h) State and prove Laurent's theorem.

0E = E = 0 show that f(z) must be consistivit

3000